for safe storage

PRODUCT DATA SHEET

Adhesive label set for DT-Mobile Easy retrofitting

Order no.: 10261



TECHNICAL DATA

External dimensions (lxh)	30 x 20 x 1 cm
Weight	0.1 kg
Coating	uncoated
Warranty in years	1
Assembly condition	in parts

LOGISTICS

Package dimensions (l x w x h)	18 x 18 x 11 cm
Units per box	1
Units per pallet	10
Pallet dimensions	18 x 18 x 11 cm
Shipping weight	1 kg
Freight	Parcel service
Customs tariff number	39199080

SYSTEM COMPONENTS FOR

Order no.	Product name
7216	DT-Mobile 980 l single-wall, painted, with hood and pump***
7233	Mobile Diesel Tank Systems 980l, with hood, without pump
7314	Mobile Diesel Tank Systems 600l, with hood, without pump
7316	Mobile Diesel Tank Systems 400l, with hood, without pump
7383	DT-Mobile double-wall, painted cpl. Without hood and pump
7384	DT-Mobile double-wall, painted cpl. With hood, without pump
7386	DT-Mobile double-wall, galvan. 980l, with hood, without pump
7577	DT-Mobile double-wall, galvan. 400l, with hood, without pump
7578	DT-Mobile double-wall, galvan. 600l, with hood, without pump
7746	Mobile Diesel Tank Systems400l with cabinet, without pump
7747	Mobile Diesel Tank Systems600l with cabinet, without pump
7748	Mobile Diesel Tank Systems980l with cabinet, without pump
7749	DT-Mobile double-wall, galvan. 400lwith cabinet, without pump
7750	DT-Mobile double-wall, galvan. 600lwith cabinet, without pump
7751	DT-Mobile double-wall, galvan. 980lwith cabinet, without pump
7754	KS-Mobile double-wall, galvan. cpl. Without hood and pump
7755	KS-Mobile 600 l double-wall, galvan. cpl. without hood and pump
7756	KS-Mobile double-wall, galvan. cpl. Without hood and pump
7760	KS-Mobile double-wall tank 400 l galvanized,complete with cabinet, without pump
7761	KS-Mobile double-wall, galvan. cpl. With cabinet,without pump
7762	KS Mobile 980L, double wall, galvanized compl. with cabinet, without pump
7858	DT-Mobile 980 l double-wall, painted, with electric pump 12 V
8586	DT-Mobile single-wall, painted cpl. Without hood and pump
8587	DT-Mobile single-wall, painted cpl. With hood, without pump
10287	DT-Mobil 980 l, double-wall, galvanised
10526	Diesel and heating oil trolley 60L with quick coupling
10527	Diesel and heating oil trolley 100L with quick coupling
10787	DT-Mobi PRO hybrid8 980 Basic 12 V, Bipump 12 V, 8 years ADR certifi
10789	DT-Mobil PRO hybrid8 980 Premium 12 V, Bipump 8 years ADR certifi
10792	DT-Mobil PRO hybrid COMBI 850/100 Basic, 12 V Bipump
10794	DT-Mobil PRO Hybr.COMBI 850/100l Premium 12 V, Bipump
10797	DT-Mobil PRO hybrid8 980 Basic 24/12 V, Cematic Duo, 8 years ADR
10799	DT-Mobil PRO hybrid8 980 Premium 24/12 V, Cematic Duo, 8 years ADR
10802	DT-Mobil PRO Hybrid COMBI 850/100 Basic 24/12 V, Cematic Duo
10804	DT-Mobil PRO hybr. COMBI 850/100 Premium 24/12 V, Cematic Duo
10807	DT-Mobil PRO hybrid8 980 Basic 230 V, Cematic 72, 8 years ADR
10809	DT-Mobil PRO hybrid8 980 Premium 230 V, Cematic 72, 8 years ADR
10812	DT-Mobil PRO hybrid COMBI 850/100 Basic 230 V, Cematic 72
10814	DT-Mobil PRO hybr. COMBI 850/100 Premium 230 V, Cematic 72
10937	DT-Mobil PRO hybrid8 980 without pump with quick coupling for vehicles
11026	DT-Mobil PRO hybrid8 980 with hand pump
11369	DT-Mobil PRO ST 980 Basic 12 V, Bipump
11370	DT-Mobil PRO ST 980 Basic 24/12 V, Cematic Duo
11371	DT-Mobil PRO ST 980 Basic 230 V, Cematic 72
11372	DT-Mobil PRO ST 980 Basic with hand pump
11373	DT-Mobil PRO ST 980 basic generator tank (2x flow, 2x return) with quick-coupling
11374	DT-Mobil Easy 210 l, generator tank
11375	DT-Mobil Easy 440 l, generator tank

11376	DT-Mobil Easy 980L generator tank with suction device
11377	DT-Mobile PRO hybrid8 980 generator tank (1x flow, 1x return) with quick-coupling
11378	DT-Mobil PRO hybrid 440l generator tank (1xflow, 1x return) with quick-coupling
11401	DT-Mobil PRO ST 980 Basic without pump, with quick coupling for vehicles
11402	DT-Mobil PRO ST 980 Premium 12 V, Bipump
11403	DT-Mobil PRO ST 980 Premium 24/12 V, Cematic Duo
11404	DT-Mobil PRO ST 980 Premium 230 V, Cematic 72
11411	DT-Mobil PRO ST COMBI 980/200 Basic 12 V, Bipump
11412	DT-Mobil PRO ST COMBI 980/200 Basic 24/12 V, Cematic Duo
11413	DT-Mobil PRO ST COMBI 980/200 Basic 230 V, Cematic 72
11414	DT-Mobil PRO ST COMBI 980/200 Premium 12 V, Bipump
11415	DT-Mobil PRO ST COMBI 980/200 Premium 24/12 V, Cematic Duo
11416	DT-Mobil PRO ST COMBI 980/200 Premium 230 V, Cematic 72
11666	DT-Mobil PRO hybrid 980 Basic without pump, with quick coupling
11667	DT-Mobil PRO hybrid 980 Basic with hand pump
11668	DT-Mobil PRO hybrid 980 Basic 12 V, Bipump,
11669	DT-Mobil PRO hybrid 980 Basic 24/12 V, Cematic Duo
11670	DT-Mobil PRO hybrid 980 Basic 230 V, Cematic 72
11671	DT-Mobil PRO hybrid 980 generator tank with quick coupling (2xflow; 2xreturn)
11679	CUBE Mobil 980 generatortank with 2 connections with quick-coupling
11930	DT-Mobil PRO ST 980 I Basic CAS 18V, Cematic 56/18
11931	DT-Mobil PRO hybrid 980 I Basic CAS, 18 V, Cematic 56/18
11995	DT Mobil PRO ST 980 Basic, grey Emergency fuel tank with CEMATIC DUO 24/12 V,handpump,quick coupl
12126	DT-Mobil PRO ST 980 Basic, red RAL 3000 Emergency fuel tank with CEMATIC DUO 24/12 V, hand pump, quick coupling

Technical specifications subject to change/Errors and omissions excepted. © CEMO 10261-en 10.26
CEMO GmbH | In den Backenländern 5 | 71384 Weinstadt | Germany | Tel. +4971519636-0 | kontakt@cemo-group.com